

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	0	712/241,208,209,229,205,206,32,33,34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:23	
2	IS&R	L2	2031	(712/241,208,209,229,205,206,32,33,34).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:24	
3	IS&R	L3	3514	((345/506,505) or (711/105,113,118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:24	
4	BRS	L4	5504	2 or 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:25	
5	BRS	L5	218	buffer same instruction same profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:26	
6	BRS	L6	2	buffer same instruction same predetermined adj profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/16 14:27	

	Type	L #	Hits	Search T xt	DBs	Time Stamp	C mments
7	BRS	L7	2074	predetermined adj profile	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:27	
8	BRS	L8	100	7 and buffer	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:27	
9	BRS	L9	60	8 and memory	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:27	
10	BRS	L10	0	9 and (often near3 use) adj buffer	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:28	
11	BRS	L11	0	(often near3 use) adj buffer	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:29	
12	BRS	L12	3229	(often near3 use)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:28	

	Type	L #	Hits	arch Text	DBs	Time Stamp	Comm nts
13	BRS	L13	6	(often near3 use) near3 buffer	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:32	
14	BRS	L14	6	13 not 6	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:29	
15	BRS	L15	23	(often near3 use) near3 ( buffer or memory or store)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:32	
16	BRS	L16	17	15 not 14	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/01/16 14:32	